




## USE & CARE INSTRUCTIONS



### Air Cleaning System with UV-C, True HEPA & Odor Reduction



**Guardian Technologies LLC**  
7700 St Clair Avenue | Mentor, Ohio 44060  
1.866.603.5900 | [www.guardiantechnologies.com](http://www.guardiantechnologies.com)

**Model No. AC5300, AC5350 Series**  
5-Year Limited Warranty  
[www.guardiantechnologies.com](http://www.guardiantechnologies.com)  
1.866.603.5900  
REV0317

**English**      E - 1  
**French**        F - 1  
**Spanish**      S - 1

Date Purchased  
month \_\_\_\_\_  
year      \_\_\_\_\_

**Replacement Filter No: Filter  (FLT5000)**  
To Order Contact Customer Service  
1.866.603.5900 or log on to [www.guardiantechnologies.com](http://www.guardiantechnologies.com)

# READ AND SAVE THESE INSTRUCTIONS

## WARNINGS

Failure to comply with the warnings listed below may result in electric shock or serious injury.



This product should be used only in accordance with the specifications outlined in this manual. Usage other than what has been specified here may result in serious injury.

When using electrical appliances, basic precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- Read all instructions before using appliance.
- **IMPORTANT** - This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.
- To avoid fire or shock hazard, plug the appliance directly into a 120V AC electrical outlet.
- Keep the cord out of heavy traffic areas. To avoid fire hazard, NEVER put the cord under rugs, near heat registers, radiator, stoves or heaters.
- To protect against electrical hazards, DO NOT immerse in water or other liquids. Do not use near water.
- Children cannot recognize the hazards associated with the usage of electrical appliances. For this reason, always supervise children when they are near the unit.
- Always unplug the air purifier before moving it, opening the grill, changing filters, cleaning or whenever the air purifier is not in use. Be sure to pull by the plug and not the cord.
- NEVER drop or insert any object into any openings.
- DO NOT run cord under carpeting.
- DO NOT cover cord with throw rugs, runners, or similar coverings.
- DO NOT route cord under furniture or appliances. Arrange cord away from traffic area and where it will not be tripped over.
- DO NOT operate any appliance with a damaged cord or plug, if motor fan fails to rotate, after the appliance malfunctions, or if it has been dropped or damaged in any manner. Call Customer Service at 1.866.603.5900 for assistance.
- Use appliance only for intended household use as described in this manual. Any other use not recommended by the manufacturer may cause fire, electric shock or injury to persons.
- DO NOT use outdoors.
- DO NOT place anything on top of unit.

**WARNING:** The cords, wires and/or cables supplied with this product contain chemicals, including lead or lead compounds, known to the state of California to cause cancer and birth defects or other reproductive harm. Wash hands after using.

(California code of regulations Proposition 65)

- NEVER block the air openings, grills/outlets or place on a soft surface such as a bed or sofa, as this could cause the unit to tip over, blocking the air intake or outtake opening.
- DO NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so will void your warranty. The inside of the unit contains no user serviceable parts. All servicing should be performed by qualified personnel only.
- **WARNING:** To reduce the risk of fire or electric shock, do not use this fan with any solid-state speed control device.
- **WARNING:** Skin or eye damage may result from directly viewing the light produced by the lamp in this apparatus. Always disconnect power before replacing lamp or servicing. Replace Lamp With Lamp Model No. LB4000, Manufactured by Guardian Technologies.
- Always unplug the unit before before cleaning or servicing in any way.
- **CAUTION:** Do NOT use gasoline, benzene, thinner, harsh cleaners, etc. on and/or in the unit while cleaning as they will damage the product. NEVER use alcohol or other solvents.

The 8 hour TWVA Ozone for this product is 0.001 ppmv when tested in a 30 m<sup>3</sup> chamber. The product complies with the maximum allowable concentration of ozone of 0.050 parts per million by volume (ppmv) in a 24-hour period. The Health Canada Guideline 2010 recommends that the maximum exposure limit, based on averaging time of 8 hours, is 0.020 ppmv or less when tested in a sealed, controlled room approximately 30 m<sup>3</sup>.

## PRODUCT SPECIFICATIONS AND PARTS

MODEL NUMBER.....AC5300, AC5350 Series  
 DIMENSIONS..... 9.25" D x 7" W x 27.5" H  
 WEIGHT .....10.95 lbs  
 INPUT VOLTAGE .....120 V, 60Hz, 58W, 0.5 A

REPLACEMENT FILTER  
 FILTER C (FLT5000)  
 REPLACEMENT BULB  
 LB4000  
 BULB..... 5W



LAMP CONTAINS MERCURY



Manage in accordance with Spills, Disposal and Site Cleanup Requirements. In case of breakage, follow clean-up procedures provided by contacts below.


[www.epa.gov/c1cleanup](http://www.epa.gov/c1cleanup)  
 1-866-284-4010



This product earned the ENERGY STAR by meeting strict energy efficiency guidelines set by the US EPA. US EPA does not endorse any manufacturer claims of healthier indoor air from the use of this product.

The energy efficiency of this ENERGY STAR qualified model is measured based on a ratio between the model's CADR for Dust and the electrical energy it consumes, or CADR/Watt.

## PRODUCT SPECIFICATIONS AND PARTS



## AIR CLEANING SYSTEM

Improve your indoor air quality with your new germguardian® Air Cleaning System. Multiple levels of cleaning include a combination True HEPA filter that captures allergens, and Charcoal filter to remove odors. UV-C light technology enhances germ-killing.

### Pre-Filter\*

Captures initial dust and allergen particles.

### Charcoal Filter\* (aka Activated Carbon)

Charcoal/Activated Carbon contributes to the control and prevention of the growth of bacteria, germs and mold.

### True HEPA Filter

Captures 99.99% of dust and allergens.


### UV-C Light

UV-C light technology works with Titanium Dioxide ( $TiO_2$ ) to enhance the elimination of airborne germs.  $TiO_2$  is activated by the UV-C light to decompose remaining odor molecules caused by smoking, cooking and pets.


\*Pre-Filter and Charcoal Filter are combined into one layer that attaches to the HEPA Filter.

## CONTROLS


### AC5300 Series Control Panel



### AC5350 Series Control Panel



## AIR CLEANING LAYERS




## INSTALLING & REMOVING COMBINATION FILTER




The Air Cleaner will beep for 30 seconds and the Replace HEPA light will flash continuously indicating that it is time to replace your filter. Replace the filter according to directions then restart the system. See specific model instructions (E-7/E-8). Depending on usage, filter will last approximately 6 months.


1. Turn off and unplug the unit.



2. Press the Lock & Release Button and remove the Rear Cover from the unit.




3. Remove the used Combination Filter (Filter C) and dispose of it in the garbage.



4. Insert filter system into the unit. Consult the arrow on the filter for correct installation direction.

5. Reattach the Rear Cover of the unit and securely latch into place.



Check out our  
**AutoShip & Save**  
 Filter Replacement Program™  
[www.guardiantechnologies.com](http://www.guardiantechnologies.com)

## OPERATING INSTRUCTIONS

### BEFORE OPERATING THE AIR PURIFIER:

1. Select a firm, level and flat location for the air purifier.
  - \* For proper air flow, locate the unit at least 1 foot from any wall or furniture.
  - \* Make sure none of the grills are blocked.
2. Plug the power cord into a 120V AC outlet.

**IMPORTANT:** When moving the air purifier, always lift unit by the carrying handle located on back.

### OPERATING THE AIR PURIFIER (AC5300 SERIES):



1. Turn unit power ON. To turn OFF, press and hold button for 3 seconds.



2. Select fan speed MODE 1 - 3  
**1 = low, ultra quiet sleep mode**  
**3 = high**



3. Select UV-C ON or OFF using UV-C Mode Button.



**\*Filter Replacement Indicator:** The Replace HEPA light on the control panel will illuminate and flicker indicating that it is time to replace your filter. Replace the filter according to directions (E-6) then press and hold the **UV Mode** button for 3 seconds to reset the system.

**\*UV Bulb Replacement Indicator:** The circular blue light on the front panel of the purifier will flicker when it's time to replace the bulb. Replace the bulb according to directions (E- 8), then press and hold **UV Mode** button for 3 seconds to reset the system.

# OPERATING INSTRUCTIONS

## OPERATING THE AIR PURIFIER (AC5350 SERIES):



1. Turn unit power ON.



2. Select fan speed MODE 1 - 5  
**1 = low, ultra quiet sleep mode**  
**5 = high speed allergen control**  
**Default setting is 5**



3. Select UV-C ON or OFF using UV-C Mode Button.




4. **TIMER:** If you prefer to run the purifier for a specific number of hours, you can select between 1 and 8 hours on the display.

**\*Filter replacement Indicator:** The Replace HEPA light on the control panel will illuminate and flicker indicating that it is time to replace your filter. Replace the filter according to directions (E-6) then press and hold the **Timer** button for 3 seconds to restart the system.


**\*UV Bulb Replacement Indicator:** The circular blue light on the front panel of the purifier will flicker when it's time to replace the bulb. Replace the bulb according to directions (E-8), then press and hold **UV-C Mode** button for 3 seconds to reset the system.

**\*Control Panel Beep/Sound:** The sound emitted from pressing the buttons on the control panel can be turned off/on by holding the **Speed** button for 3 seconds.


## INSTALLING & REMOVING UV-C BULB



1. Remove the Rear Cover of the unit by pushing Lock & Release Button.




2. After removing the Rear Cover from the unit, remove the Combination Filter.



3. After removing the Combination Filter, use a Philips head screwdriver to remove 2 screws and detach the UV-C Metal Shield.

4. The UV-C Bulb is removed by carefully grasping the bulb with a clean cloth or tissue and pulling the bulb straight out of the unit.



Bulb is NOT visible until the UV-C METAL SHIELD has been removed.

REPLACEMENT BULB: LB4000  
AVAILABLE AT 866.603.9500 OR  
[WWW.GUARDIANTECHNOLOGIES.COM](http://WWW.GUARDIANTECHNOLOGIES.COM)


5. The UV-C Bulb is reinstalled by sliding it, horizontally, back into the slots at the top of the unit.

## CLEANING & MAINTAINING THE COMBINATION FILTER

The air purifier should be cleaned at least once every month and the outer Pre-/Charcoal Filter attached to the HEPA Filter should be cleaned every month. More frequent cleaning may be required depending on environmental conditions.

### PRE-/CHARCOAL FILTER

Clean with the brush attachment of your vacuum cleaner. This will remove lint and dirt.



Filter Package includes:

- 1-Piece True HEPA Filter
- 1-Piece Pre-/Charcoal Filter

Filter lasts approximately 6-8 months depending on use

Create **ONE COMPLETE COMBINATION FILTER**

### TRUE HEPA FILTER

Remove the Combination Filter from the back of unit.

Remove the Pre-/Charcoal Filter to expose the HEPA filter.

When the HEPA Filter turns from white to grey or black it should be replaced with a new one. If the HEPA filter is still white, it does NOT need to be replaced.

**IMPORTANT:** Do NOT try to wash and re-use the Combination Filter. Please contact Customer Service at **1.866.603.5900** or visit us at [www.guardiantechnologies.com](http://www.guardiantechnologies.com) to purchase a replacement filter.

**Replacement filter: FILTER C (FLT5000) or FILTER C PET (FLT5250PT)**

**NOTE:** The Combination Filter is one filter system. The multiple layers include: the Pre-/Charcoal Filter and the True HEPA Filter.

### AIR PURIFIER

Use a clean, dry, soft cloth to wipe the external surface of the unit.

## Clean Air Delivery Rate

From air cleaner to air cleaner, compare the CADR numbers. First look at suggested room size. Then refer to the Clean Air Delivery Rate (CADR) numbers. The higher the number, the faster the unit filters the air.

**AC5300 air cleaner is suggested for use in a single, closed room up to 169 square feet.**

**AC5350 air cleaner is suggested for use in a single, closed room up to 171 square feet.**

Higher CADR rates provide improved performance in all room sizes. Portable air cleaners will be much more effective in rooms when all the doors and windows are closed.

**TOBACCO SMOKE: AC5300 = 109+ AC5350 = 110+**

This value represents performance that can be expected within the first 72 hours of operation. Subsequent use may vary with use.

Tested per ANSI/AHAM AC-1 National Standard

### What is CADR?

CADR stands for "Clean Air Delivery Rate," which indicates the volume of filtered air delivered by an air purifier. CADR ratings show the effectiveness of how efficient the air purifier is at capturing fine particulates from things like tobacco smoke and plant pollens from the room.

**NOTE:** Do NOT stick any foreign objects or your fingers inside of the unit.

**CAUTION:** Do NOT use gasoline, benzene, thinner, harsh cleaners, etc. on and/or in the unit while cleaning as they will damage the product. NEVER use alcohol or other solvents.

## TROUBLESHOOTING GUIDE

PROBLEM	SOLUTION
Unit does not operate.	Check that the unit is plugged in. Call Customer Service <b>1.866.603.5900</b> .
Unit shuts off unexpectedly.	Check that the unit is plugged into a working electrical outlet. Check that the HEPA Filter is firmly in place. Check that the Rear Cover is latched firmly in place. Call Customer Service <b>1.866.603.5900</b> .
No air circulating from unit.	Unplug unit. Check Pre-/Charcoal and HEPA Filters. Clean Pre-/Charcoal Filter if necessary. Replace HEPA Filter if necessary.
Increase in noise level.	Make sure the filters are clean. Replace if necessary.
Control buttons 'beep' when pushed. (AC5350 Series)	To shut off the 'beeping' sound when buttons are pushed: 1. Press and hold the TIMER and UV buttons for 3 seconds. 2. Select ON/OFF. 'Beeping' will automatically be reset to ON when the unit is unplugged.
Red light is flashing.	Replace filter and reset system. See E-6, E-7, E-8.
Blue ring on product is flashing.	Replace bulb and reset system. See E-7, E-8, E-9.

## LIMITED WARRANTY

To the consumer, Guardian Technologies LLC warrants this product to be free of defects in materials or workmanship commencing upon the date of the original purchase. Save your original sales receipt to validate start of warranty period. Warranty is not valid without receipt.

If this product should become defective within the warranty period, we will repair or replace any defective parts free of charge. All warranty repairs must be completed by Guardian Technologies LLC. This warranty **does not cover unauthorized repairs**. The warranty does not include unusual wear, damage resulting from accident, or unreasonable use of the product. This warranty only covers the product when used with genuine Guardian Technologies accessories. This warranty covers product that was purchased from authorized distributors. This warranty gives you specific legal rights and you may also have other rights (other rights may vary from state to state in the U.S.A.)

**The product warranty registration can be completed online at [www.guardiantechnologies.com](http://www.guardiantechnologies.com).** We consider the registration process important to ensuring superior service to our customers, however submitting the warranty registration is optional and does not affect your rights to utilize this warranty according to the conditions stated above. To submit product under warranty the complete machine must be delivered pre-paid to Guardian Technologies LLC. Please include complete information including: the problem, the model number of the product, the day of purchase, and a copy of the original sales receipt along with your name, address, and telephone (email optional). Address returns to the attention of: Customer Service, at the address below. Additional questions or comments can be made toll free to the number listed below.

**Guardian Technologies LLC**  
7700 St. Clair Avenue • Mentor, Ohio 44060  
1.866.603.5900 • [www.guardiantechnologies.com](http://www.guardiantechnologies.com)

This warranty can be registered online at [www.guardiantechnologies.com](http://www.guardiantechnologies.com).

Additional copies of the instruction manual can be obtained by accessing and printing directly from our website or calling customer service.

## AIR CLEANING SYSTEM REPLACEMENT PARTS


To Purchase Contact Customer Service at  
1.866.603.5900 or visit [www.guardiantechnologies.com](http://www.guardiantechnologies.com)



FILTER C or FILTER C PET Replacement Filter  
AC5000 Series Models  
Model No. FLT5000, FLT5250PT



Replacement UV-C Bulb  
Model No. LB4000




Check out our  
**AutoShip & Save**  
Filter Replacement Program™

[www.guardiantechnologies.com](http://www.guardiantechnologies.com)



## UTILISATION ET INSTRUCTIONS D'ENTRETIEN



### Systeme de purification d'air avec filtre True HEPA, rayons UVC et réduction d'odeurs

#### Modèles des séries AC5300, AC5350

Garantie limitée de 5 ans  
[www.guardiantechnologies.com](http://www.guardiantechnologies.com)  
1.866.603.5900  
REV0317

**Anglais** E - 1  
**Français** F - 1  
**Espagnol** S - 1

Date d'achat  
mois \_\_\_\_\_  
année \_\_\_\_\_

**Numéro du filtre de rechange : filtre  (FLT5000)**  
Pour commander, communiquez avec le service à la clientèle au :  
**1 866 603-5900** ou rendez-vous sur le site :  
[www.guardiantechnologies.com](http://www.guardiantechnologies.com)



## LIRE ET CONSERVER CES INSTRUCTIONS AVERTISSEMENTS



Ce produit doit être utilisé en conformité avec les directives indiquées dans le présent manuel. De graves blessures peuvent résulter d'un usage du produit autre que celui indiqué dans le présent manuel.

Lorsque vous utilisez un appareil électrique, vous devez toujours respecter certaines consignes élémentaires de sécurité afin de réduire le risque de feu, de choc électrique et de blessure, dont les suivantes.

- Lisez toutes les instructions avant d'utiliser cet appareil.
- **IMPORTANT** : cet appareil est doté d'une fiche polarisée (une broche est plus large que l'autre). Pour réduire le risque de choc électrique, cette fiche ne peut s'insérer dans une prise polarisée que d'une seule façon. Si la fiche ne s'insère pas entièrement dans la prise, insérez-la dans l'autre sens. Si elle ne s'insère toujours pas, communiquez avec un électricien agréé. Ne supprimez en aucun cas cette fonction de sécurité.
- Pour éviter tout risque d'incendie ou de choc électrique, branchez l'appareil directement dans une prise électrique de 120 V c.a.
- Gardez le cordon d'alimentation à l'écart des zones de passage. Pour éviter tout risque d'incendie, ne faites JAMAIS passer le cordon d'alimentation sous un tapis ou à côté de grilles de chauffage, de radiateurs, d'appareils de chauffage ou de cuisinières.
- Pour protéger contre tout risque de choc électrique, NE plongez PAS l'appareil dans l'eau ou dans un liquide quelconque. N'utilisez pas cet appareil à proximité de l'eau.
- Les enfants ne peuvent pas identifier les risques liés à l'utilisation des appareils électriques. Pour cette raison, surveillez toujours les enfants lorsqu'ils sont à proximité du purificateur d'air.
- Débranchez toujours le purificateur d'air avant de le déplacer, d'ouvrir une grille de protection, de changer les filtres ou lorsqu'il n'est pas utilisé. Assurez-vous de débrancher l'appareil en tirant sur la prise et non sur le cordon.
- Ne laissez JAMAIS tomber et n'insérez JAMAIS d'objets dans tout orifice de l'appareil.
- Ne faites pas passer le cordon électrique sous la moquette.
- Ne recouvrez pas le cordon électrique avec des tapis, des tapis d'escalier ou tout autre revêtement similaire.
- Ne faites pas passer le cordon électrique sous les meubles ni les appareils électroménagers. Disposez le cordon électrique à l'écart de la zone de passage et où personne ne risque de trébucher dessus.
- N'utilisez JAMAIS un appareil dont le cordon d'alimentation ou la fiche est endommagé, dont le moteur du ventilateur ne tourne plus, à la suite d'une défaillance ou d'une panne, ou qui est tombé ou est endommagé de quelque manière que ce soit. Veuillez communiquer avec le service à la clientèle au **1.866.603.5900** pour obtenir de l'aide.

**AVERTISSEMENT** : Les cordons, fils électriques et/ou câbles fournis avec cet appareil contiennent des produits chimiques, y compris du plomb ou des composés du plomb, reconnus par l'état de Californie comme pouvant causer le cancer, des malformations congénitales et d'autres problèmes de santé génésique. lavez-vous les mains après toute utilisation.  
(Code de réglementation de la Californie – proposition 65).

- N'utilisez l'appareil que conformément à son utilisation prévue et décrite dans le présent manuel. Toute utilisation autre que celles recommandées par le fabricant risque de provoquer un incendie, un choc électrique ou des blessures.
- N'utilisez PAS cet appareil à l'extérieur.
- NE METTEZ rien sur l'appareil.
- N'obstruez JAMAIS les sorties d'air, les grilles de protection ou les prises de l'appareil. Ne placez JAMAIS l'appareil sur une surface molle, telle qu'un lit ou un canapé, car cela risque de faire tomber l'appareil, obstruant la sortie ou l'entrée d'air.
- N'essayez PAS de réparer ou de régler toute fonction électrique ou mécanique de cet appareil. Agir ainsi annulera la garantie. L'intérieur de cet appareil ne contient aucune pièce remplaçable. Toute réparation doit être faite uniquement par un professionnel qualifié.
- **AVERTISSEMENT**: Pour réduire le risque d'incendie ou de choc électrique ne pas utiliser ce ventilateur avec un dispositif de commande de la vitesse à semi-conducteurs quel qu'il soit.
- **AVERTISSEMENT** : Ne regardez pas directement la lumière émise par la lampe dans cet appareil pour éviter des dommages à la peau ou aux yeux. Débranchez toujours l'alimentation avant de remplacer la lampe ou d'entretenir l'appareil. Remplacez la lampe avec le modèle de lampe no LB4000, fabriqué par Guardian Technologies.
- Débranchez toujours l'appareil avant d'effectuer tout nettoyage ou tout entretien.
- **MISE EN GARDE** : N'utilisez PAS d'essence, de benzène, de diluant ou de nettoyants puissants (entre autres) pour nettoyer la surface intérieure ou l'extérieur de l'appareil, car cela risque de l'endommager. N'utilisez JAMAIS d'alcool ni d'autres dissolvants.

L'ozone moyenne pondérée dans le temps de 8 heures pour ce produit est de 0,001 ppmv lors de tests dans une chambre de 30 m<sup>3</sup>. Le produit est conforme avec la concentration maximale permise d'ozone de 0,05 parties par million par volume (ppmv) dans une période de 24 heures. Les lignes directrices de Santé Canada 2010 recommandent que la limite d'exposition maximale, selon un temps moyen de 8 heures, soit de 0,020 ppmv ou moins lors de tests dans une salle hermétique et contrôlée d'environ 30 m<sup>3</sup>.

## SPÉCIFICATIONS DU PRODUIT ET PIÈCES

NUMÉRO DE MODÈLE ..... séries AC5300, AC5350

DIMENSIONS ..... longueur : 23,5 cm (9,25 po);  
largeur : 17,8 cm (7 po); hauteur : 69,8 cm (27,5 po)

POIDS ..... 5 kg (10,95 lb)

TENSION D'ENTRÉE ..... 120 V, 60 Hz, 58 W, 0,5 A

Filtre De Rechange  
FILTER C (FLT5000)

Ampoule de Rechange  
LB4000

Ampoule..... 5W




**L'AMPOULE CONTIENT DU MERCURE**



**Veuillez respecter les exigences en matière de déversement, d'élimination et de nettoyage. En cas de bris, suivez les consignes fournies par les sources ci-dessous pour le nettoyage.**

[www.epa.gov/cffcleanup](http://www.epa.gov/cffcleanup) 1-866-284-4010

## SPÉCIFICATIONS DU PRODUIT ET PIÈCES



## BOUTONS DE COMMANDE

Tableau de commande des modèles de la série AC5300





Tableau de commande des modèles de la série AC5350



## SYSTÈME DE PURIFICATION D'AIR

Améliorez la qualité de l'air intérieur grâce à ce nouveau système complet de purification de l'air à filtre True HEPA et à rayon UVC de germguardian. Les multiples niveaux de purification incluent l'action conjointe du filtre True HEPA pour retenir les allergènes et les acariens que du filtre à charbon pour éliminer les odeurs. La technologie à rayon UVC améliore l'élimination des germes.

### Préfiltre\*

Retient les particules de poussière et d'allergènes initiales.

### Filtre au charbon\* (charbon actif)

Permet le contrôle et la prévention de la prolifération des bactéries, des germes et des moisissures.

### Filtre True HEPA

Retient 99,99% de la poussière et des allergènes.

### Lampe à rayon UVC

L'action conjointe de la technologie à rayon UVC et des filtres permet d'améliorer l'élimination des germes en suspension dans l'air.

\*Le préfiltre et le filtre au charbon sont combinés en un seul filtre que s'accroche au filtre HEPA et anti-acariens.

## NIVEAUX DE LA PURIFICATION DE L'AIR

