

QUICK START GUIDE



ENDURANCE RACE




WHAT'S IN THE BOX



S/M/L



SCAN ME



S/L



APP



JBL HEADPHONES




GET EVEN MORE CONTROL AND PERSONALIZATION OF YOUR LISTENING EXPERIENCE WITH THIS FREE APP.



HOW TO WEAR


1 MIX AND MATCH FOR A PERFECT FIT AND AUDIO PERFORMANCE.




2



FIRST TIME USE



POWER ON & CONNECT



L



R


AUTOMATIC PAIRING




POWER ON & CONNECT



OTHERS



ANDROID™ 6.0+



CHOOSE "JBL RACE TWS" TO CONNECT




Fast Pair


DUAL CONNECT




STEREO MODE



MONO MODE



CONTROLS



* ENABLE ADVANCE CONTROLS BY CONNECTING YOUR JBL ENDURANCE RACE TWS TO JBL HEADPHONES APP .

** ENABLE YOUR VOICE ASSISTANT THROUGH JBL HEADPHONES APP AND ASSIGN IT TO YOUR PREFERRED EARBUD (L/R).


POWER OFF




MANUAL SETUP

- TAP × 1
- TAP × 2
- TAP × 3
- HOLD (5s)


CONNECT TO A NEW BLUETOOTH DEVICE







RECONNECT LEFT & RIGHT





FACTORY RESET




DO MORE WITH THE APP



CHARGING



WATERPROOF & DUSTPROOF IP67



LED BEHAVIORS



BT CONNECTING



BT CONNECTED




BT NOT CONNECTED



20%

50%

100%



LOW BATTERY



CHARGING



FULLY CHARGED

TECH SPEC

Model:	ENDURANCE RACE
Driver size:	6 mm / 1/4" Dynamic Driver
Power supply:	5 V --- 1 A
Earbud:	6.2 g per pc (12.4 g combined)/ 0.014 lbs per pc (0.028 lbs combined)
Charging case:	44.9 g / 0.099 lbs
Earbud battery type:	Lithium-ion Battery (70 mAh / 3.85 V)
Charging case battery type:	Lithium-ion Battery (550 mAh / 3.7 V)
Charging time:	< 2 hrs from empty
Music playtime with BT on:	≥ 10 hrs
Frequency response:	20 Hz - 20 kHz
Impedance:	16 ohm
Sensitivity:	99 dB SPL@1 kHz
Maximum SPL:	92 dB
Microphone sensitivity:	-38 dBV/Pa@1 kHz
Bluetooth version:	5.2
Bluetooth profile version:	A2DP V1.3, AVRCP V1.6, HFP V1.7
Bluetooth transmitter frequency range:	2.4 GHz - 2.4835 GHz
Bluetooth transmitter power:	< 10 dBm
Bluetooth transmitter modulation:	GFSK, π /4QPSK, 8DPSK
Maximum operation temperature:	45 °C

