

# NANOSTEAMER CLINICAL

## User Manual



## **IMPORTANT SAFETY INSTRUCTIONS**

When using electrical appliances, especially when children are present, basic safety precautions should always be followed, including the following:

### **READ ALL INSTRUCTIONS BEFORE USING**

**DANGER** – To reduce the risk of electrocution:

1. Always unplug this appliance immediately after using.

Exception: This instruction is not required for a permanently installed wall-mounted hair dryer.

2. Do not use while bathing.

3. Do not place or store appliance where it can fall or be pulled into a tub or sink.

4. Do not place in or drop into water or other liquid.

5. Do not reach for an appliance that has fallen into water. Unplug immediately.

Exception: The instruction for a permanently installed wall-mounted hair dryer shall state "If hand unit falls into water, turn unit off immediately. Do not reach into water. "

**WARNING** – To reduce the risk of burns, electrocution, fire, or injury to persons:

1. An appliance should never be left unattended when plugged in.

Exception: This instruction is not required for a permanently installed wall-mounted hair dryer.

2. Close supervision is necessary when this appliance is used by, on, or near children or individuals with certain disabilities.

3. Use this appliance only for its intended use as described in this manual. Do not use attachments not recommended by the manufacturer.

4. Never operate this appliance if it has a damaged cord or plug, if it is not working properly, or if it has been dropped, damaged, or dropped into water. Return the appliance to a service center for examination and repair.

Exception: The "or if it has been dropped" part of this instruction is not required for a hand-supported hair dryer.

5. Keep the cord away from heated surfaces. Do not wrap the cord around the appliance.

6. Never block the air openings of the appliance or place it on a soft surface, such as a bed or couch, where the air openings may be blocked. Keep the air openings free of lint, hair, and the like.

7. Never use while sleeping

## **WARNING & SAFETY**

Turn off & unplug the Nanosteamer Clinical before adding water to the water tank.

Only use distilled water with the Nanosteamer Clinical.

Do not immerse any part of the Nanosteamer Clinical in water.

Avoid direct heat and damp surfaces when using the Nanosteamer Clinical.

Only water-soluble essential oils can be added to the aromatherapy basket.

Aromatherapy basket heats up while in use. Avoid direct contact.

Prior to your first use of Nanosteamer Clinical on your skin, it is recommended to let one cycle of water run through and evaporate.

While using the Nanosteamer Clinical it is recommended to adjust distance accordingly to allow proper ventilation between steam and skin. Caution: STEAM IS HOT

If you experience pain or discomfort during your session, immediately stop and consult your physician.

Do not shake or move the Nanosteamer Clinical during use.

It is recommended to clean out the aromatherapy basket after each use.

It is recommended to clean the outside of the Nanosteamer Clinical after each use by wiping with a damp towel, followed with a dry towel.

Avoid using the Nanosteamer Clinical if you have sensitive skin or a medical condition affecting your skin.

Keep out of reach of children and pets.

Unplug the Nanosteamer after each use, before cleaning, and before maintenance.

## NANOSTEAMER CLINICAL FUNCTIONS


Hot steam helps to open pores, hydrate and purify the skin.

Cold steam function helps to tighten pores and refresh the skin, and lock in moisture.

Smart steam function provides an anti-aging

Aromatherapy function allows essence oil to penetrate the skin deeper.

## STRUCTURE






## MODE FUNCTIONS

- ❄️ Cleansing Mode: Makeup removal and deep cleanse. To be used prior to any other function.
- ❄️ Cold Steam: Tightens pores to lock in moisture.
- ☀️ Hot Steam: Relaxes pores and allows them to be receptive to moisture.
- ☀️ Smart Steam Mode: A combination of hot & cold alternating steam for maximum anti-aging benefits.
- 💧 Hydration Mode: Hydrates dry skin and locks in moisture.
- 🕒 Oil-Control Mode: Locks in moisture while helping control oily skin types.


## MODE USE

- ❄️ Cleansing Mode: 4 minutes of hot steam. The Nanosteamer Clinical will automatically shut off.
- ❄️ Cold Steam: Appropriately adjust distance of steam to skin. Can be used for 60-70 minutes.
- ☀️ Hot Steam: Appropriately adjust distance of steam to skin. Use hot steam for 2-3 minutes. After hot steam, follow with skin care and additional treatments.
- ☀️ Smart Steam Mode: Cold, 3 minutes. Hot, 3 minutes. The Nanosteamer Clinical will automatically shut off after 20 minutes.
- 💧 Hydration Mode: Hot, 6 minutes. Cold, 1 minute. Hot, 3 minutes, Cold, 1 minute, Hot, 3 minutes, Cold, 1 minute. The Nanosteamer Clinical will automatically shut off.
- 🕒 Oil-Control Mode: Hot, 6 minutes. Cold, 3 minutes. Hot, 3 minutes, Cold, 2 minutes, Hot, 2 minutes, Cold, 1 minute. The Nanosteamer Clinical will automatically shut off.


## HOW TO USE - AROMATHERAPY BASKET




Remove aromatherapy basket & cover



Place drops of water-soluble essential oils in basket



Place aromatherapy basket back in the Nanosteamer Clinical




Place cover back on aromatherapy basket

## HOW TO USE - PREPARATION


Fully remove any makeup, dirt and oil with your face cleanser




## HOW TO USE - PREPARATION (CONTINUED)




Pop out the water tank by pressing the lid.




Remove water tank cap by twisting counter-clockwise




Fill water tank with 235ml of pure or distilled water



Place water tank cap back on and turn cap clockwise to close




Press the lid to place water tank back in the Nanosteamer Clinical




Plug in the Nanosteamer Clinical


## HOW TO USE - COLD STEAM




Press the M button to choose the appropriate mode on the LED display




Adequately adjust the distance between skin and steam




After use - hold down on power button to turn off the Nanosteamer Clinical




Unplug after use

 When power button turns orange it will shut off automatically after about 3 seconds

## HOW TO USE - OTHER MODES




Press the M button to choose the appropriate mode on the LED display



Adequately adjust the distance between skin and steam. 25cm (9-10 inches) is recommended



Choose the mode and time according to your preference




Unplug after use

The Nanosteamer Clinical will shut off automatically when mode time is complete


⏻ To stop, press the power button for three seconds

If there is low water, the power button will turn orange and will automatically shut off after blinking for about 3 seconds.


## HOW TO USE - REMOVING WATER



Wait three minutes before removing water tank basket, allowing the temperature to decline



Remove aromatherapy basket and water tank



Drain water from the base of the Nanosteamer Clinical



Wipe down the Nanosteamer Clinical with a dry towel

**HOW TO CLEAN THE NANOSTEAMER CLINICAL**

Unplug the Nanosteamer Clinical and drain out water

Pour 1 cup of a 50/50 vinegar & water solution into the water tank

Turn on Hot Steam Mode for approximately 10 minutes

Hold down the power button to turn off the Nanosteamer Clinical

Allow Nanosteamer Clinical to cool for approximately 10 minutes and then drain

Pour distilled back into the water tank to rinse out any residual vinegar smell

It is recommended to clean your steamer every week if used regularly

**TROUBLESHOOTING**

Problems	Problems	Solutions
The machine is not heating up	The switch is not turned on	Turn on the switch
	Not connected to power supply	Connect Socket
	Household power fuse is broken	Reset or replace fuse
No steam or small steam	Low water	Fill with purified water or distilled water
	Tank no placed back into the steamer correctly	Make sure water tank is pressed tightly
	Scale deposits and dirt in the chamber	Follow Cleaning Instructions

## TECHNICAL DATA

Nanosteamer Clinical	
Voltage: 120V	Frequency: 60Hz
Power: 320W	Capacity: 235mL

## MAINTENANCE

The water tank can only use distilled water. Do not add other liquids.

Make sure your Nanosteamer Clinical is turned off and unplugged prior to adding water to the water tank.

When using Hot Steam allow adequate distance between steam and face to avoid any injuries.

When using the Nanosteamer Clinical, always exercise caution to prevent accidents.

Do not submerge Nanosteamer Clinical in water.

Please use the correct supply voltage of 120V/60Hz/

Do not add any chemical solvents or cleaners to the water tank.

Keep power cord at a distance from hot surfaces

If power cord is damaged, it must be replaced by designated maintenance staff or equivalent professional

Do not disassemble or install the Nanosteamer Clinical without permission

If there is any problem with the electrical equipment, please contact support@puredailycare.com

After using the Nanosteamer Clinical unplug the power cord before cleaning.

Do not use abrasive cleaners or corrosive liquids to clean the Nanosteamer Clinical.

Note: This manual is to ensure the accuracy and rigor of the information provided, but in view of the continuous improvement and upgrades of the product, the company reserves the right to change the manual without prior notice.

**SAVE THESE INSTRUCTIONS**



